

HYRAX ORION

DESCRIPTION

HYRAX ORION is a fully synthetic motor oil developed with state-of-the-art technology that provides superior lubricating performance. Formulated to provide superb engine protection and top-notch lubricating qualities for ultimate engine performance, it is produced with 100% synthetic base stocks for maximum power.

HYRAX ORION provides excellent protection for multivalve and turbocharged engines, excellent oil consumption control and improves fuel economy.

APPLICATION

Recommended for most high performance naturally aspirated and turbocharged operate engines in passenger cars on gasoline or diesel.

BENEFITS

- Excellent viscosity control
- Excellent sludge control performance
- Outstanding wear protection
- Excellent oxidation stability and longer oil change interval
- Prolongs engine life

PERFORMANCE

- API SL/CF
- ACEA A3/B3/B4-98
- MB p229.1/229.3
- BMW longlife-98
- Volkswagon 502/505
- Porsche



TYPICAL PROPERTIES

PROPERTIES	METHOD	SAE 5W/40
Density at 15 ⁰ C, g/cm ³	ASTM D 4052	0.8497
Flash Point, ⁰ C (C.O.C)	ASTM D 92	240
Viscosity, cSt		
at 40 ⁰ C	ASTM D 445	13.57
at 100 ⁰ C		82.53
Viscosity Index	ASTM D 2270	167
Pour Point, ⁰ C	ASTM D 97	-42
Total Base No., mgKOH/g	ASTM D 2896	9.5

Note:

All information supplied by or on behalf of Hyrax Oil in relation to its products, whether in the nature of data, recommendations or otherwise, is supported by rigorous laboratory work and research and believed to be reliable. Typical test data are average values only. Minor variations to typical properties not affecting the performance of the product are to be expected in normal manufacturing circumstances.